




BORG-WARNER AUTOMOTIVE, INC. REGISTERED TRADEMARK
LICENSED TO BWD AUTOMOTIVE CORPORATION

CATALOG NO. CK-98
OCTOBER, 1998
Supersedes Catalog CK-93
\$4.⁰⁰

1998 CARBURETOR TUNE-UP KITS & CARBURETOR FLOATS



**Coverage for American, Japanese & European Vehicles
AUTOMOTIVE, TRACTOR, INDUSTRIAL & MARINE**

BWD
Automotive Corporation

TABLE OF CONTENTS

| | Page | | Page |
|---|---------|---|---------|
| How to use this Catalog | A2 | Agricultural and Industrial Section | |
| New Products for 1998 | A11 | Application Guide | 281-326 |
| Superseded Kits for 1998 | A12 | Carburetor to Kit Interchange | 327-343 |
| Automotive Application Index | A13 | Tune-Up Kit Buyer's Guide | 344-346 |
| Product Features and Benefits | A14 | | |
| Product to Catalog Index | A15-A20 | Inboard Marine Section | |
| Engine Code and Metric to Cubic Inch Displacement Chart | A21-A24 | Application Guide | 347-357 |
| Carburetor and Float Code Identification Chart | A25 | Carburetor to Kit and Float Interchange | 358-363 |
| Carburetor Kit to Power Valve Interchange | A25 | Tune-Up Kit Buyer's Guide | 364-366 |
| Automotive Section | | Outboard Marine Section | |
| Tune-Up Kit and Float Applications | 1-87 | Application Guide | 367-369 |
| Secondary Diaphragm Assembly Applications | 88-92 | Carburetor to Kit Interchange | 370-374 |
| Secondary Diaphragm & Governor Diaphragm Assembly Applications | 93-94 | Tune-Up Kit Buyer's Guide | 375-376 |
| Carburetor to Kit and Float Interchange | 95-241 | Jet Ski Section | |
| OEM Float Interchange | 241-243 | Application Guide | 377 |
| Tune-Up Kit Buyers Guide | 244-253 | Carburetor to Kit Interchange | 378 |
| Float Buyers Guide | 254-269 | Tune-Up Kit Buyer's Guide | 378 |
| Carburetor Float Assortment | 270 | Needle & Seat Buyer's Guide | 378 |
| Secondary & Governor Diaphragm Assembly Buyer's Guide | 271-273 | Carburetor Model-Number Identification Chart | 379-382 |
| Carburetor Service Tools | 274-280 | | |

CARBURETOR AND FLOAT CODE IDENTIFICATION CHART
TABLEAU D'IDENTIFICATION DES CODES POUR CARBURATEURS ET FLOTTEURS
CARTA DE IDENTIFICACIÓN DE CÓDIGOS DE CARBURADORES Y FLOTADORES

CARBURETOR MANUFACTURER CODES

| | |
|-------------------------|---------------------------|
| A..... Aisan | M-S Marvel-Schebler |
| C Carter | N Nikki |
| F Ford | R Rochester |
| H Holley | S..... Stromberg |
| HI Hitachi | SL..... Solex |
| K..... Keihin | SU S.U. |
| M Mercarb | W Weber |
| MC Motocraft | Z Zenith |
| Mi-SL..... Mikuni-Solex | ZS Zenith Stromberg |

CARBURETOR CODE EXAMPLES

2 Two Bore
4 Four Bore
C-1 Carter One Bore
F-2 Ford Two Bore
R-4 Rochester Four Bore

FLOAT CODES

(B) Brass
(N) Nitrophyl
(PL) Plastic
(P) Primary
(S) Secondary

CARBURETOR KIT TO POWER VALVE INTERCHANGE
ÉQUIVALENCES DES TROUSSES DE CARBURATEURS AUX SOUPAPES
DE PUISSANCE
INTERCAMBIOS DE JUEGOS DE CARBURADORES A VÁLVULA DE POTENCIA

| Kit No. | Power Valve No. | Kit No. | Power Valve No. | Kit No. | Power Valve No. | Kit No. | Power Valve No. |
|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| 10029B | 13500 | 10361A | 13500 | 10660A | 13524 | 10859 | 13524 |
| 10035D | 13500 | 10363D | 13531 | 10680 | 13523 | 10893 | 13500 |
| 10079A | 13500 | 10397 | 13524 | 10701 | 13501 | 10921 | 13524 |
| 10120 | 13500 | 10428 | 13500, 13524 | 10738A | 13523 | 10922 | 13524 |
| 10121 | 13500 | 10452B | 13524 | 10748 | 13522 | 11942 | 13547 |
| 10176A | 13500 | 10466D | 13524 | 10756 | 13500 | 11945 | 13547 |
| 10188A | 13500 | 10578B | 13522 | 10757 | 13525 | 11946 | 13547 |
| 10200B | 13500 | 10588 | 13531 | 10761 | 13500 | 12080A | 13524 |
| 10279 | 13500, 13501 | 10600A | 13525 | 10787 | 13500 | 12081 | 13524 |
| 10283B | 13500 | 10641B | 13522 | 10802 | 13547 | 12083A | 13547 |
| 10355B | 13524 | 10647 | 13523 | 10852 | 13524 | 12110A | 13524 |

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|------------------------|---|-----------|-----------|--|-------------|------------------------|
| ALFA ROMEO | | | | | | |
| 4 CYLINDER | | | | | | |
| 1966-69 | Guilietta Berline, Pontenziate | SL-1 | 32PBIC | 32PBIC | 11545 | --- |
| AMERICAN MOTORS | | | | | | |
| 4 CYLINDER | | | | | | |
| 1988-83 | 150" 2.5L | C-1 | YFA | 7452, 7453, 7454, 7455, 7700, 7701, 7702, 7703, 7704, 7705, 7706, 7707, 7708 | 10829 | CF251(N) |
| 1983-80 | 151" 2.5L | R-2 | 2SE, E2SE | 17080680, 681, 682, 683, 684, 686, 688, 781, 782, 17081790, 791, 792, 793, 794, 795, 796, 797, 799, 17082380, 382, 383, 384, 385, 386, 387, 388, 389, 17083380, 381, 384, 385 | 10867A | CF266(N) |
| | 151" 2.5L | R-2 | E2SE | 17080781, 782, 17081796, 797, 17082386, 387, 388, 389, 17083384, 385 | 10867A | CF266(N) |
| 1979-77 | 121" 2.0L | H-2 | 5210C | R-7711A, R-7712A, R-7799A, R-7846A, R-8163A, R-8164A, R-8165A, R-8166A, R-8167A, R-8548A, R-8549A, R-8673A, R-8675A | 10588 | CF472B(B) or CF472(N) |
| 6 CYLINDER | | | | | | |
| 1988-76 | 258" 4.2L | C-2 | BBD | 8067, 8103, 8104, 8117, 8128, 8129, 8185, 8186, 8187, 8188, 8216, 8221, 8246, 8247, 8248, 8253, 8256, 8278, 8302, 8303, 8306, 8308, 8309, 8310, 8311, 8313, 8338, 8339, 8349, 8355, 8357, 8360, 8362, 8363, 8364, 8367, 8383, 8384, 8388, 8393, 8394 | 10706B | CF280B(B) |
| 1979-77 | 232" 3.8L, 258" 4.2L | C-1 | YF | 7111, 7151, 7152, 7153, 7189, 7195, 7201, 7223, 7228, 7229, 7232, 7233, 7235, 7267, 7276, 7318 | 10587 | CF251B(B) or CF251(N) |
| 1976-75 | 232" 3.8L, 258" 4.2L | H-1 | 1946 | R-8064AAA | 10596A | CF469AB(B) or CF469(N) |
| 1976-71 | 232" 3.8L, 258" 4.2L | C-1 | YF | 6299, 6423, 6424, 6429, 6430, 6431, 6432, 6510, 6511, 7000, 7001, 7028, 7029, 7039, 7041, 7061, 7062, 7074, 7083, 7084, 7085, 7086, 7112 | 10313B | CF251B(B) or CF251(N) |
| | | | | 6038, 6093, 6094, 6095, 6096, 6199, 6200, 6202, 6300, 6309, 6400, 6401, 6421, 6422 | 10313B | CF279B(B) |
| 1974-70 | 199" 3.2L, 232" 3.8L, 258" 4.2L (Repl. Carbs) | H-1 | 1940 | R-6295AAA, -1AAA, -2AAA, R-6707AAA, -1A, -1AAA, R-7104AAA, R-7677AAA, R-7678AAA, R-7679AAA | 10380A | CF469AB(B) or CF469(N) |
| 1970 | 199" 3.2L, 232" 3.8L | C-1 | YF | 4767, 4768, 4769, 4770, 4978 | 10313B | CF279B(B) |
| 1970-66 | 195.6" 3.2L, 232" 3.8L | C-2 | WCD | 2350, 2586, 2887, 3170, 3322, 3434, 3535, 3706, 3707, 3888, 4191, 4365, 4410, 4537, 4667, 4668, 4816, 4817, 4950, 6042 | 10056 | --- |
| 1969 | 199" 3.2L, 232" 3.8L | C-1 | RBS | 4631, 4633, 4634, 4666, 4998 | 10314 | CF273(N) |
| 1969-64 | 199" 3.2L, 232" 3.8L (Repl. Carbs) | H-1 | 1920 | R-4416AAS, R-7747AAA | 10344A | CF362(N) |
| 1967-63 | 195.6", 199" 3.2L, 232" 3.8L | C-1 | RBS | 3487, 3488, 3498, 3708, 3709, 3727, 3728, 3766, 3882, 4576, 4994, 4997 | 10257 | CF273(N) |
| 1966-65 | 232" 3.8L (Can.) | C-1 | RBS | 3765 | 10257 | CF273(N) |
| 1965-63 | 196" 3.2L | H-1 | 1909 | R-2387A, -1A, -1AAS, -2A, -2AAS, R-2555A, -1A, -1AAS, -2A, -2AAS, -3A, -3AAS, R-2556A, -1A, -2A, -3A, R-2557A, -1A | 10205A | CF305(N) |
| 1960-59 | 196" 3.2L | H-1 | 1904 | R-1598A, AS, -1A, -1AS, -2A, -2AAS, R-2166A, AS, R-2168A, AS | 10195 | CF284B(B) |
| 1955-54 | | C-1 | YF | 2163, 2258 | 10096 | CF279B(B) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|---|-----------|--------------|-------------------|-------------|-------|
| AUSTIN | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1963-48 | Austin, Austin Healey A40, A90, A100, A100S | SU-1 | H-1, 2, 4, 6 | H-1, -2, -4, -6 | 10233 | ---- |
| 1962-61 | 848cc, 948cc, 997cc A40, MK II, Mini Cooper, Seven, Super | SU-1 | HS-2 | HS-2 | 10451A | ---- |
| 1961-59 | 848cc A55 | SU-1 | HS-2 | HS-2 | 10451A | ---- |
| 1959 | 848cc Seven | SU-1 | HS-2 | HS-2 | 10451A | ---- |
| 6 CYLINDER | | | | | | |
| 1968-67 | 2912cc (2 Carbs) | SU-1 | HS-6 | HS-6 | 10451A | ---- |
| 1963-62 | 2912cc Healey 3000 MK II (2 Carbs) | SU-1 | HS-6 | HS-6 | 10451A | ---- |
| 1963-48 | Austin, Austin Healey A99, A105, A110 | SU-1 | H-1, 2, 4, 6 | H-1, -2, -4, -6 | 10233 | ---- |
| 1962-61 | 2639cc Healey BN7 MK II (3 Carbs) | SU-1 | HS-4 | HS-4 | 10451A | ---- |
| | 2912cc Healey 3000 MK II (3 Carbs) | SU-1 | HS-4 | HS-4 | 10451A | ---- |

BMW

4 CYLINDER

| | | | | | | |
|---------|--|------|---------------------------------|---------------------------------|-----------------|------|
| 1976-75 | 1990cc 2002 | SL-2 | 32/32DIDTA | 32/32DIDTA | 10570 or 10444A | ---- |
| 1974-73 | 1990cc 2002 | SL-2 | 32/32DIDTA | 32/32DIDTA | 10569 or 10444A | ---- |
| 1972-65 | 1990cc 2000, 2000A, 2000C, 2000CA, 20002, 20002A | SL-1 | 36PDSI, 38PDSI, 40PDSI, 40PDSIT | 36PDSI, 38PDSI, 40PDSI, 40PDSIT | 10443 | ---- |
| 1971-64 | 1573cc 1600, 1602 | SL-1 | 36PDSI, 38PDSI | 36PDSI, 38PDSI | 10443 | ---- |
| 1967-63 | 1773cc 1800, 1800A | SL-1 | 38PDSI | 38PDSI | 10443 | ---- |
| 1966-63 | 1490cc 1500 | SL-1 | 36PDSI | 36PDSI | 10443 | ---- |

BRISTOL

4 CYLINDER

| | | | | | | |
|---------|--------------------------------|------|---------|---------|-------|------|
| 1963-56 | Ace Bristol "D" Eng. (3 Carbs) | SL-1 | 32PBI-6 | 32PBI-6 | 11545 | ---- |
|---------|--------------------------------|------|---------|---------|-------|------|

BUICK

4 CYLINDER

| | | | | | | |
|---------|----------------------|-----|------|--|--------|----------|
| 1984-83 | 121" 2.0L (Can.) | R-2 | 2SE | 17083314, 401, 17084312, 314 | 10773C | CF300(N) |
| 1983 | 151" 2.5L (Can.) A/T | R-2 | 2SE | 17083460, 462 | 10867A | CF300(N) |
| | 151" 2.5L (Can.) M/T | R-2 | 2SE | 17083461 | 10679B | CF300(N) |
| 1982 | 112" 1.8L (Can.) | R-2 | 2SE | 17058565, 566, 567, 17082310, 311, 312, 314, 315, 401, 402, 404, 405 | 10773C | CF300(N) |
| | 112" 1.8L, 122" 2.0L | R-2 | E2SE | 17059327, 17081600, 601, 700, 701, 17082300, 301 | 10694A | CF300(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|------------------------------------|-----------|-------|---|-------------|-----------------------|
| BUICK | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1982-80 | 151" 2.5L (Exc. Cal.) A/T | R-2 | 2SE | 17058562, 17059614, 616, 618, 620, 622, 624 | 10867A | CF266(N) |
| | | | | 17082460, 462 | 10867A | CF300(N) |
| | 151" 2.5L (Exc. Cal.) M/T | R-2 | 2SE | 17059615, 617, 619, 621, 623, 625 | 10679B | CF266(N) |
| | | | | 17058564, 17082461, 469 | 10679B | CF300(N) |
| 1981-80 | 151" 2.5L | R-2 | E2SE | 17059714, 715, 716, 717, 718, 720, 721, 722, 723, 724, 17081670, 671, 672, 673, 764, 766 | 10867A | CF266(N) |
| 6 CYLINDER | | | | | | |
| 1987-85 | 231" 3.8L (Exc. Can.) A/T | R-2 | E2ME | 17085190, 17086190 | 10732C° | CF274B(B) or CF274(N) |
| | 231" 3.8L (Can.) A/T | R-2 | M2ME | 17085170, 17086170, 17087181 | 10840 | CF406B(B) or CF406(N) |
| 1986-84 | 173" 2.8L | R-2 | E2SE | 17084534, 535, 537, 538, 540 | 10819 | CF266(N) |
| 1986-82 | 173" 2.8L (Can., Export) | R-2 | 2SE | 17058568, 569, 17082440, 441, 442, 443, 17083440, 441, 442, 443, 444, 445, 475, 17084480, 481, 482, 483, 484, 485, 17085482, 483, 484, 485, 17086484, 485 | 10798 | CF266(N) |
| 1985-83 | 181" 3.0L A/T | R-2 | E2ME | 17083194, 17084195, 17085192, 194 | 10808A° | CF274B(B) or CF274(N) |
| 1985-80 | 181", 183" 3.0L, 231" 3.8L | R-2 | E2ME | 17080491, 493, 495, 496, 498, 17081190, 191, 192, 194, 197, 198, 199, 496, 17082182, 183, 184, 186, 192, 194, 196, 497, 17083190, 192, 193, 490, 492, 494, 17084191, 193 | 10732C° | CF274B(B) or CF274(N) |
| 1984 | 173" 2.8L (Can., Police) | R-2 | 2SE | 17084486, 487 | 10872 | CF266(N) |
| 1984-81 | 231" 3.8L, 252" 4.1L A/T | R-4 | E4ME | 17059323, 324, 325, 17081242, 243, 245, 247, 248, 249, 289, 17082243, 244, 245, 246, 247, 248, 249, 260, 265, 266, 267, 268, 294, 295, 298, 299, 17083242, 244, 248, 17084240, 244, 246 | 10720B° | CF274B(B) or CF274(N) |
| 1983-82 | 173" 2.8L | R-2 | E2SE | 17082316, 317, 320, 321, 640, 641, 642, 17083450, 451, 452, 453, 454, 455, 456, 650 | 10774A | CF266(N) |
| 1983-81 | 231" 3.8L (Can.) | R-2 | M2ME | 17081492, 493, 17082492, 17083172 | 10650A | CF406B(B) or CF406(N) |
| 1981 | 173" 2.8L | R-2 | E2SE | 17081608, 610, 612, 614, 650, 651, 652, 653, 740, 742 | 10774A | CF266(N) |
| | 231" 3.8L (Can.) | R-4 | M4ME | 17081295 | 10619B | CF406B(B) or CF406(N) |
| 1981-80 | 173" 2.8L (Exc. Cal.) | R-2 | 2SE | 17059650, 651, 652, 653, 660, 662, 666, 667, 750, 751, 752, 753 | 10866 | CF266(N) |
| 1980 | 173" 2.8L (Cal.) A/T | R-2 | E2SE | 17080740, 742 | 10774A | CF266(N) |
| | 173" 2.8L (Cal.) | R-2 | E2SE | 17059760, 762, 763 | 10694A | CF266(N) |
| | 231" 3.8L (Cal.) (Incl. Turbo) A/T | R-4 | E4ME | 17080540, 542, 543, 545 | 10720B° | CF274B(B) or CF274(N) |
| | 252" 4.1L A/T | R-4 | M4ME | 17080244 | 10695 | CF406B(B) or CF406(N) |
| 1980-79 | 231" 3.8L | R-2 | M2ME | 17059180, 184, 190, 191, 193, 194, 196, 491, 492, 498, 17080185, 187, 190, 191, 192, 195, 197 | 10650A | CF406B(B) or CF406(N) |
| 1980-78 | 231" 3.8L | R-4 | M4ME | 17058240, 540, 17059240, 242, 243, 540, 543, 544, 546, 547, 548, 17080240, 242, 243, 247 | 10619B | CF406B(B) or CF406(N) |
| 1979 | 231" 3.8L (Cal.) | R-2 | E4ME | 17059496 | 10732C° | CF274B(B) or CF274(N) |
| 1978 | 231" 3.8L (Alt.) | R-4 | M4MC | 17058246 | 10471A | CF406B(B) or CF406(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

° Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|--------------------------|-----------|--------|---|-------------|-----------------------|
| CHECKER MOTORS | | | | | | |
| 8 CYLINDER (Cont'd) | | | | | | |
| 1967 | 327" 5.4L (Early) | R-4 | 4MV | 7027085, 7037081 | 10263A | CF250B(B) |
| 1965 | 327" w/Vac Gov | R-2 | 2G | 7025089 | 10262C | CF254B(B) |
| | 327" w/Vac Gov | R-4 | 4GC | 7025185 | 10124 | ---- |
| 1964 | 283" 4.6L | R-2 | 2GV | 7024183, 186 | 10262C | CF254B(B) |
| CHEVROLET PASSENGER | | | | | | |
| 3 CYLINDER | | | | | | |
| 1988-87 | 61" 1.0L | HI-2 | DFB306 | 96055402, 404, 405, 96059792 | 10898 | ---- |
| 1987-85 | 61" 1.0L (Can.) | A-2 | Aisan | 96053281, 857, 96054473, 96055200, 403, 406 | 10839 | ---- |
| 1986 | 61" 1.0L (Exc. Can.) A/T | HI-2 | DFB306 | 96054544 | 10936A | ---- |
| 1986-85 | 61" 1.0L (Exc. Can.) M/T | HI-2 | DFB306 | DFB306-820 (96051666, 96054543, 96055087) | 10869 | ---- |
| | 61" 1.0L | HI-2 | DFB306 | DFB306-822 (96053856, 96054544) | 10936A | ---- |
| 4 CYLINDER | | | | | | |
| 1989-85 | 92" 1.5L A/T Only | N-2 | Nikki | 94325199, 201, 211, 94426917 | 10904 | CF548(N) |
| | 92" 1.5L M/T Only | N-2 | Nikki | 94109561, 94130052, 94176394, 395, 94310950, 94325198, 200, 210, 94426916, 94451949, 950 | 10841A | CF548(N) |
| 1988-85 | 98" 1.6L (Exc. Can.) | A-2 | Aisan | 21100-16030 (94840133, 94842805, 94843888) | 10889A | CF526(N) |
| 1987-80 | 97.6" 1.6L | H-2 | 6510 | R-8657A, R-8658A, R-8659A, R-8660A, R-9403A, R-9404A, R-9405A, R-9406A, R-9407A, R-9574A, R-9576A, R-9663A, R-9664A, R-9665A, R-9666A, R-9896AAA, R-9968AAA, R-9969AAA, R-60000A, R-60001A, R-60002A, R-60048A, R-60049A, R-60050A, R-60097A, R-60103A, R-60116A, R-60117A, R-60118A, R-60119A (14032364, 366, 14048827, 828, 829, 14068690, 691, 692, 14076321, 363, 465, 466, 467, 468) | 10699 | CF282B(B) or CF282(N) |
| 1986-83 | 97.6" 1.6L (Can.) | H-2 | 5210 | R-60008A, R-60009A, R-60047A, R-60056A, R-60057A, R-60059A, R-60098A, R-60099A, R-60104A, R-60105A, R-60112A, R-60113A (14048849, 850, 14067370, 14076317, 318, 319, 322, 323, 393, 394, 14086071, 072) | 10698A | CF282B(B) or CF282(N) |
| 1984-83 | 121" 2.0L (Can.) | R-2 | 2SE | 17083311, 314, 401, 17084312, 314 | 10773C | CF300(N) |
| 1983 | 151" 2.5L (Can.) A/T | R-2 | 2SE | 17083460, 462 | 10867A | CF300(N) |
| | | | | 17083464, 466 | 10867A | CF266(N) |
| | 151" 2.5L (Can.) M/T | R-2 | 2SE | 17083461 | 10679B | CF300(N) |
| | | | | 17083465 | 10679B | CF266(N) |
| 1982 | 112" 1.8L (Can.) | R-2 | 2SE | 17058565, 566, 567, 17082310, 311, 312, 314, 315, 401, 402, 404, 405 | 10773C | CF300(N) |
| | 112" 1.8L, 122" 2.0L | R-2 | E2SE | 17059327, 17081600, 601, 606, 607, 700, 701, 17082300, 301, 303, 304 | 10694A | CF300(N) |
| 1982-80 | 97.6" 1.6L (Exc. Cal.) | H-2 | 5210 | R-8661A, R-8662A, R-8663A, R-8664A, R-8665A, R-8666A, R-8667A, R-8668A, R-9475A, R-9476A, R-9671A, R-9672A (14004461, 462, 463, 464, 465, 466, 467, 468, 14032301, 302, 14043390, 392) | 10698A | CF282B(B) or CF282(N) |
| | 151" 2.5L (Exc. Cal.) | R-2 | 2SE | 17059615, 617, 619, 621, 623, 625, 17082465 | 10679B | CF266(N) |
| | | | | 17058564, 17082461, 469 | 10679B | CF300(N) |
| 1982-79 | 151" 2.5L (Exc. Cal.) | R-2 | 2SE | 17058562, 563, 17059614, 616, 618, 620, 622, 624, 673, 674, 675, 676, 677, 17080674, 675, 676, 677, 17082464, 466 | 10867A | CF266(N) |
| | | | | 17082460, 462 | 10867A | CF300(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|--------------------------------|-----------|-------|--|-----------------|-----------------------|
| CHEVROLET PASSENGER | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1981-79 | 151" 2.5L | R-2 | E2SE | 17059714, 715, 716, 717, 718, 720, 721, 722, 723, 724, 774, 775, 776, 777, 17081670, 671, 672, 673, 764, 766 | 10867A | CF266(N) |
| 1980 | 151" 2.5L | R-2 | 2SE | 17059651, 652, 653 | 10866 | CF266(N) |
| 1979 | 97.6" 1.6L (Incl. Repl. Carbs) | H-2 | 5210C | R-8195A, R-8196A, R-8197A, R-8198A, R-8199A, R-8200A, R-8201A, R-8202A, R-8254A, R-8255A, R-8256A, R-8257A, R-8258A, R-8259A, R-8260A, R-8261A, R-9233AAS, R-9234AAS, R-9235AAS, R-9236AAS, R-9237AAS, R-9238AAS, R-9239AAS, R-9240AAS, R-9241AAS, R-9242AAS, R-9243AAS, R-9244AAS, R-9245AAS, R-9246AAS, R-9247AAS, R-9248AAS, R-9249AAS, R-9250AAS, R-9251AAS, R-9252AAS, R-9989AAA | 10663 or 10698A | CF282B(B) or CF282(N) |
| | | | | R-8395A, R-8396A, R-8397A, R-8398A | 10663 or 10698A | CF472B(B) or CF472(N) |
| 1978 | 151" 2.5L | H-2 | 5210 | R-8078A, R-8080A | 10585 | CF472B(B) or CF472(N) |
| | | | | R-8077A, R-8079A | 10585 | CF282B(B) or CF282(N) |
| 1978-76 | 85" 1.4L, 98" 1.6L | R-1 | 1ME | 17055051, 052, 064, 065, 17056030, 031, 032, 034, 035, 036, 330, 331, 332, 334, 335, 339, 17057030, 031, 032, 034, 035, 042, 044, 045, 054, 056, 332, 334, 335, 17058031, 032, 033, 034, 035, 036, 037, 038, 042, 044, 045, 332, 334, 335 | 10554A | CF257B(B) or CF257(N) |
| 1977-73 | 140" 2.3L (Incl. Repl. Carbs) | H-2 | 5210 | R-6477A, R-6478A, R-6580A, R-6581A, R-6717A, -1A, R-6718A, -1A, R-6719A, R-6720A, -1A, R-6878A, R-6879A, R-6982A, R-6983A, R-6984A, -1A, R-6985A, -1A, R-7179AAA, R-7219A, -2A, R-7220A, -1A, -2A, R-7221A, -1A, R-7222A, -1A, R-7344AAA, R-7378A, R-7379A, R-7380A, R-7381A, R-7382A, R-7383A, R-7384A, R-7385A, R-7530A, R-7531A, R-7532A, R-7533A, R-7534A, R-7535A, R-7536A, R-7537A, R-7538A, R-7540A, R-7706AAA, R-7757AAA, R-7758AAA, R-8263AAA, -1AAA, -2AAA, R-8264AAA, -1AAA, -2AAA, R-8293AAA, R-8294AAA, R-8295AAA, R-8296AAA, R-8297AAA, R-8703AAA, R-8705AAA | 10488A | CF472B(B) or CF472(N) |
| 1976-71 | 140" 2.3L | R-1 | MV | 7041023, 024, 7042023, 024, 993, 994, 7043023, 024, 033, 034, 323, 324, 333, 334, 7044023, 024, 033, 034, 323, 324, 333, 334, 7045024, 025, 028, 029, 17054960, 963, 970, 971, 972, 17056022, 023, 026, 027 | 10365A | CF257B(B) or CF257(N) |
| 1972-71 | 140" 2.3L | R-2 | 2GV | 7041106, 107, 181, 182, 7042106, 107, 122, 125, 826, 827, 836, 839 | 10366A | CF295B(B) |
| 1970-68 | 153" 2.5L | R-1 | M, MV | 7028008, 009, 7029008, 7040008, 17054302 | 10291A | CF257B(B) or CF257(N) |
| 1967 | 153" 2.5L | C-1 | YF | 4373, 4374 | 10281A | CF279B(B) |
| 1962 | 153" 2.5L | R-1 | B, BC | 7020103, 104, 114, 115 | 10187A | CF289B(B) |
| 6 CYLINDER | | | | | | |
| 1987-85 | 231" 3.8L (Can.) A/T | R-2 | M2ME | 17085170, 17086170, 17087181 | 10840 | CF406B(B) or CF406(N) |
| 1986-85 | 173" 2.8L (Can.) A/T | R-2 | 2SE | 17085486, 487, 17086486, 487 | 10872 | CF266(N) |
| 1986-84 | 173" 2.8L | R-2 | E2SE | 17084534, 535, 537, 538, 540, 542 | 10819 | CF266(N) |
| | | | | 17084632, 633 | 10819 | CF300(N) |
| 1986-82 | 173" 2.8L (Can., Export) | R-2 | 2SE | 17058568, 569, 17082440, 441, 442, 443, 17083440, 441, 442, 443, 444, 445, 475, 17084480, 481, 482, 483, 484, 485, 17085482, 483, 484, 485, 17086484, 485 | 10798 | CF266(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|------------------------------------|-----------|----------|--|-------------|------------------------|
| CHEVROLET PASSENGER | | | | | | |
| 6 CYLINDER (Cont'd) | | | | | | |
| 1985-82 | 173" 2.8L (Can.) | R-2 | ZSE | 17058570, 571, 17082620, 621, 622, 623, 17083620, 621, 622, 623, 17084620, 621, 622, 623 | 10773C | CF300(N) |
| 1984-81 | 229" 3.8L | R-2 | E2ME | 17081130, 131, 132, 133, 134, 136, 17082130, 132, 17084132 | 10777A° | CF274B(B) or CF274(N) |
| | 231" 3.8L (Can.) | R-2 | M2ME | 17081492, 493, 17082492, 17083172 | 10650A | CF406B(B) or CF406(N) |
| 1984-80 | 231" 3.8L | R-2 | E2ME | 17080491, 493, 495, 496, 498, 17081194, 196, 198, 199, 496, 17082182, 184, 192, 497, 17083490, 492, 17084191 | 10732C° | CF274B(B) or CF274(N) |
| 1983-82 | 173" 2.8L | R-2 | E2SE | 17082316, 317, 320, 321, 640, 641, 642, 17083450, 451, 452, 453, 454, 455, 456, 650 | 10774A | CF266(N) |
| | | | | 17082390, 391, 398, 490, 491, 17083630, 631, 632, 633 | 10774A | CF300(N) |
| 1982-81 | 231" 3.8L A/T | R-4 | E4ME | 17081243, 17082243 | 10720B° | CF274B(B) or CF274(N) |
| 1981 | 173" 2.8L | R-2 | E2SE | 17081608, 610, 612, 614, 616, 618, 650, 651, 652, 653, 656, 657, 658, 740, 742 | 10774A | CF266(N) |
| 1981-80 | 173" 2.8L (Exc. Cal.) | R-2 | ZSE | 17059650, 651, 652, 653, 660, 662, 666, 667, 750, 751, 752, 753 | 10866 | CF266(N) |
| | 229" 3.8L | R-2 | M2ME | 17080130, 131, 132, 133, 146, 147, 148, 149, 171, 17081170, 171 | 10864 | CF406B(B) or CF406(N) |
| 1980 | 173" 2.8L (Cal.) A/T | R-2 | E2SE | 17080740, 742 | 10774A | CF266(N) |
| | 173" 2.8L (Cal.) | R-2 | E2SE | 17059760, 762, 763, 768 | 10694A | CF266(N) |
| | 231" 3.8L Turbo (Exc. Cal.) A/T | R-4 | M4ME | 17080243 | 10619B | CF406B(B) or CF406(N) |
| | 231" 3.8L (Cal.) A/T | R-4 | E4ME | 17080543 | 10720B° | CF274B(B) or CF274(N) |
| 1980-79 | 196" 3.0L, 231" 3.8L | R-2 | M2ME | 17059180, 184, 190, 191, 193, 194, 196, 491, 498, 17080185, 187, 191, 195, 197 | 10650A | CF406B(B) or CF406(N) |
| 1979 | 231" 3.8L (Cal.) | R-2 | E2ME | 17059496 | 10732C° | CF274B(B) or CF274(N) |
| 1979-78 | 200" 3.3L | R-2 | M2ME | 17058130, 131, 132, 133, 184, 186, 17059130, 131, 132, 133, 170, 171 | 10864 | CF406B(B) or CF406(N) |
| 1979-77 | 250" 4.1L | R-1 | 1ME | 17057013, 014, 015, 016, 018, 020, 025, 029, 082, 310, 312, 314, 318, 322, 324, 17058013, 014, 020, 026, 028, 314, 17059013, 014, 020, 314 | 10863 | CF257B(B) or CF257(N) |
| 1978 | 196" 3.0L, 231" 3.8L | R-2 | 2GC, 2GE | 17058141, 143, 144, 145, 147, 182, 185, 447, 448 | 10613A | CF256B(B) or CF256(N) |
| 1976-71 | 250" 4.1L | R-1 | MV | 7041014, 017, 7042014, 017, 984, 987, 7043014, 017, 7044014, 017, 314, 7045012, 013, 032, 314, 17054303, 304, 306, 308, 17055553, 17056012, 013, 014, 015, 016, 018, 312, 313, 314 | 10364B | CF257B(B) or CF257(N) |
| 1976-68 | 230" 3.8L, 250" 4.1L (Repl. Carbs) | H-1 | 1940 | R-4807AAA, R-6514AAA, R-6864AAA, R-7048AAA, R-7558AAA, R-7647AAA, R-7648AAA, R-7649AAA, R-7762AAA, -1AAA, R-7942A | 10590A | CF469AB(B) or CF469(N) |
| 1970-68 | 230" 3.8L, 250" 4.1L | R-1 | MV | 7028014, 015, 017, 7029014, 015, 017, 7040014, 015, 017, 17054302 | 10291A | CF257B(B) or CF257(N) |
| 1969-60 | | R-1 | H, HV | 7015300, 310, 311, 319, 7019100, 101, 107, 110, 111, 117, 7020100, 101, 7023100, 101, 102, 7024023, 024, 025, 7025023, 024, 025, 226, 227, 7026023, 024, 026, 7027026, 7028005, 7036014, 015, 023, 024 | 10156A | --- |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

° Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|--|-----------|----------------|---|------------------|-----------------------|
| CHEVROLET PASSENGER | | | | | | |
| 8 CYLINDER (Cont'd) | | | | | | |
| 1968 | 396" 6.5L, 427" 7.0L | R-4 | 4MV | 7028209, 210, 211, 216, 217, 218 | 10294E | CF250B(B) or CF250(N) |
| 1968-67 | 327" 5.4L, 350" 5.7L, 396" 6.5L, 427" 7.0L | R-4 | 4MV | 7027210, 211, 216, 7037210, 211, 216 | 10297A | CF250B(B) or CF250(N) |
| | | | | 7027212, 213, 218, 7028212, 213, 7037212, 213, 218 | 10297A | CF250B(B) or CF250(N) |
| | | | | 7028207, 208, 219, 229 | 10297A | CF250B(B) |
| 1967 | 327" 5.4L, 396" 6.5L, 427" 7.0L (Hi-Perf) | H-4 | 4160 | R-3810A, R-3811A, R-3814A, AAS, R-3815A, AAS, R-3829A, AAS, R-3836A, AAS, R-3837A, AAS, R-3838A, AAS | 11505 | CF286B(B) |
| 1967-65 | 327" 5.4L, 350" 5.7L, 396" 6.5L, 427" 7.0L | R-4 | 4MV | 7025200, 201, 220, 221, 7026200, 201, 202, 203, 204, 205, 210, 7027200, 201, 202, 203, 7036200, 201, 202, 203, 204, 205, 210, 7037200, 201, 202, 203 | 10263A | CF250B(B) |
| 1966 | 327" 5.4L | C-4 | AVS | 4027, 4028 | 10268 | CF294B(B) |
| 1966-65 | 327" 5.4L, 396" 6.5L, 427" 7.0L | H-4 | 4150, 4160 | R-3139A, -1A, -1AAS, R-3140A, -1A, -1AAS, R-3230A, AAS, R-3267A, AAS, R-3268A, AAS, R-3367A, AAS, R-3370A, R-3419A, AAS, R-3420A, R-3605A, AAS, R-3606A, AAS, R-3608A, AAS, R-3609A, AAS | 10029B | CF286B(B) |
| 1966-56 | 283" 4.6L, 327" 5.4L, 348" 5.7L | R-4 | 4GC | 7008737, 7009846, 7011108, 7012126, 128, 7013004, 006, 010, 012, 7015004, 006, 010, 012, 7019004, 006, 010, 014, 7020006, 012, 022, 7023006, 012, 7024120, 121, 122, 124, 125, 126, 220, 225, 226, 7025121, 122, 126, 127, 128, 7026121, 7036118, 119, 120, 121 | 10124 | --- |
| 1965 | 283" 4.6L, 327" 5.4L (2 Carbs) | H-4 | 4160 | R-1849A, AAS | 10029B | CF278B(B) |
| 1965-62 | 409" 6.7L (2 Carbs) | C-4 | AFB | 3361, 3362, 3804 | 10206B or 10047A | CF294B(B) |
| 1965-58 | 283" 4.6L, 327" 5.4L, 348" 5.7L | C-4 | WCFB | 2656, 2657, 2669, 2816, 2817, 2818, 3059, 3060, 3061, 3190, 3191, 3489, 3500, 3501, 3575, 3696, 3697 | 10043 | --- |
| | 327" 5.4L, 348" 5.7L, 409" 6.7L | C-4 | AFB | 2859, 2897, 3012, 3221, 3269, 3270, 3310, 3345, 3460, 3461, 3499, 3593, 3720, 3721, 3783, 3963 | 10206B or 10047A | CF294B(B) |
| 1961-55 | (Incl. 2 Carbs) | C-4 | WCFB | 2218, 2351, 2362, 2366, 2419, 2505, 2555, 2613, 2614, 2626, 2627, 2655, 3181, 3182, 3769 | 10039B | --- |
| | (Incl. Center of 3 Carbs) | R-2 | 2GC | 7005810, 7006825, 7008004, 005, 387, 388, 7009345, 7010647, 648, 719, 750, 7011131, 149, 224, 460, 952, 7012503, 7013016, 020, 026, 974 | 10262C | CF254B(B) |
| CHEVROLET/GMC TRUCK | | | | | | |
| 4 CYLINDER | | | | | | |
| 1985-82 | 116" 1.9L | HI-2 | DCH340 | DCH340-215, -216 (94121895, 94227376, 378) | 10754 or 10754A | CF501B(B) or CF501(N) |
| 1984-83 | 121" 2.0L (Exc. Cal.) | R-2 | 2SE | 17083390, 391, 392, 393, 394, 395, 396, 397, 17084390, 391, 392, 393, 394, 395, 396, 397 | 10773C | CF300(N) |
| 1984-82 | 116" 1.9L (Cal.) | HI-2 | DCH340, DFP340 | DCH340-217, -218, DFP340-3, -4 (94114457, 458) | 10772A | CF501B(B) or CF501(N) |
| | | | | 94227370, 377, 94250597, 598, 94254585 | 10772A | CF528(N) |
| 1967 | 153" 2.5L | C-1 | YF | 4373, 4374 | 10281A | CF279B(B) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|--|-----------|-----------|---|-------------|------------------------|
| CHEVROLET/GMC TRUCK | | | | | | |
| 6 CYLINDER | | | | | | |
| 1990-79 | 292" 4.8L (Incl. School Bus) | R-1 | 1ME, 1MEF | 17059009, 309, 359, 17080009 309, 359, 17081009, 309, 329, 17084329, 17085009 036, 044, 045, 17086096, 101 102, 17111416, 662, 684 | 10725A | CF257B(B) or CF257(N) |
| 1986-85 | 261" 4.3L (Exc. Cal.) M/T | R-4 | M4ME | 17085209, 211, 223, 225, 17086045, 047, 053, 055 | 10932 | CF406B(B) or CF406(N) |
| | 261" 4.3L (Exc. Cal.) A/T | R-4 | M4MED | 17085205, 208, 210, 216, 219, 222, 224, 17086044, 046, 048, 054 | 10933 | CF406B(B) or CF406(N) |
| | 261", 265" 4.3L (Cal.) A/T | R-4 | E4MED | 17085502, 17086057 | 10718B° | CF274B(B) or CF274(N) |
| | 261", 265" 4.3L (Cal.) M/T | R-4 | E4ME | 17085503, 17086058 | 10792B° | CF274B(B) or CF274(N) |
| 1985-84 | 173" 2.8L (Cal.) | R-2 | E2SE | 17084356, 357, 358, 359 17085357, 359, 369, 371 | 10818 | CF300(N) |
| 1985-82 | 173" 2.8L (Exc. Cal.) | R-2 | ZSE | 17082348, 349, 350, 351 353, 355, 17083348, 349, 350, 351, 352, 353, 354, 355, 360 362, 364, 366, 17084348, 349 350, 351, 352, 353, 354, 355, 360, 362 364, 366, 17085348, 350, 351, 352, 354, 355 360 362, 363, 364 366 367, 372, 374 | 10773C | CF300(N) |
| | 173" 2.8L, 250" 4.1L (Cal.) | R-2 | E2SE | 17083368, 370, 430, 431 434, 435, 17084430, 431, 434, 435 | 10694A | CF266(N) |
| | | | | 17082356, 357, 358, 359 17083356, 357 358, 359, 17084368, 370, 17085356 358, 368 370 | 10694A | CF300(N) |
| 1984-79 | 250" 4.1L (Exc. Cal.) | R-2 | ZSE | 17059640, 641, 642, 643 740, 741, 742, 764, 765, 767, 17080621, 622 623, 626, 720, 721, 722, 723, 17081621, 622 623, 624, 625, 626, 627, 629, 630, 633 635, 720, 721, 725 726, 727, 17082334, 335, 336 337, 338, 339, 341, 342, 344, 345, 347 431 433, 480, 481, 482, 483, 484 485 486 487 488, 489, 500 502 504, 17083410, 411, 412 413, 414, 415, 416, 417, 419 421, 423, 425 427, 429, 560 562, 565, 569 17084410, 412 425, 427, 560, 562, 569 | 10866 | CF266(N) |
| 1979-78 | 200" 3.3L (Exc. Cal.) | R-2 | M2ME | 17058130, 131, 132, 133 17059130, 131 132, 133 | 10864 | CF406B(B) or CF406(N) |
| 1979-77 | 250" 4.1L, 292" 4.8L | R-1 | 1ME | 17057001, 002, 004, 005 006, 007, 008, 009, 010, 011, 082, 302, 303 308, 309, 17058006, 007, 008 009, 011, 015 017, 021, 022, 024, 081, 082, 084, 308, 309 310, 311, 312 313, 358, 359 | 10863 | CF257B(B) or CF257(N) |
| 1976-71 | 250" 4.1L, 292" 4.8L (Incl. Repl. Carbs) | R-1 | MV | 7041020, 021 022, 025, 026 7042011 012, 022, 025, 026, 991, 992, 7043009, 012 021, 022, 025, 026, 321, 326 7044011, 012 021 022, 025, 026, 321, 7045003, 010, 302, 303 311, 17054303, 304, 306 308 17055553 17056002, 003, 004, 006 007 008, 009 011, 308, 309 | 10364B | CF257B(B) or CF257(N) |
| 1974-69 | 351" 5.8L, 401" 6.6L, 432" 7.1L, 478" 7.9L | S-2 | WWC | 23-228, -229, -232, -233, -234, -245, -246, -247, -249, -250 -259, -260, -265 | 10497 | N/R |
| 1972-70 | 250" 4.1L (Repl. Carbs) | H-1 | 1940 | R-8216AAA, R-8638AAA | 10590A | CF469AB(B) or CF469(N) |
| 1971-69 | 305" 5.0L, 351" 5.8L, 478" 7.9L | S-2 | WW | 23-224, -225, -227, -230, -231, -241 | 10110B | N/R |
| 1971-68 | 230" 3.8L, 250" 4.1L, 292" 4.8L (Incl. Can.) | R-1 | M, MV | 7028006, 007 010, 011, 012, 013, 7029007, 011, 012, 022, 7040007, 011, 012, 021, 022, 025, 026, 17054302, 305 | 10291A | CF257B(B) or CF257(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

° Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|--|---|-----------|----------------|--|-----------------|-----------------------|
| ISUZU | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1987-82 | 1.9L | HI-2 | DCH340, DFP340 | DCH340-222, -253, -254, -255, -256, DFP340-3, -4 (8-94117-916-0, 917-0) | 10772A | CF501B(B) or CF501(N) |
| | | | | DCH340-221 (8-94238-484-0, 485-0, 772-0, 773-0, 8-94245-114-0, 115-0, 8-94250-706-0, 707-0) | 10772A | CF528(N) |
| 1987-81 | 1.9L | HI-2 | DCH340 | DCH340-211, -212, -213, -214, -219, -220, -251, -252 (8-94117-918-0, 8-94123-028-0, 029-0, 8-94222-667-0, 668-0, 669-0, 670-0, 8-94227-887-0, 888-0, 8-94238-770-0, 771-0, 8-94250-705-0, 8-94253-747-0) | 10754 or 10754A | CF501B(B) or CF501(N) |
| JAGUAR | | | | | | |
| 6 CYLINDER | | | | | | |
| 1977-67 | 4235cc XJ6, C, L, XKE (2 Carb) | ZS-1 | 175CD | 175CD-2SE, 175CD-2SET | 10568 | N/R |
| 1969-67 | 2483cc 240" (2 Carb) | SU-1 | HS-6 | HS-6 | 10451A | ---- |
| 1961-56 | 2400cc (2 Carb) | SL-1 | 32PBI | 32PBI-5 | 11545 | ---- |
| 1959-48 | XK 120", 140", 150" (2 Carb) | SU-1 | H | H-3, -4, -6 | 10233 | ---- |
| 12 CYLINDER | | | | | | |
| 1975-71 | 5343cc XJ12, XJ12C, XKE (4 Carb) | ZS-1 | 175CD | 175CD-2SE, 175CD-2SET | 10568 | N/R |
| JEEP | | | | | | |
| 4 CYLINDER | | | | | | |
| 1992-84 | 150" 2.5L | C-1 | YFA | 7452, 7453, 7454, 7455, 7700, 7701, 7702, 7703, 7704, 7705, 7706, 7707, 7708 | 10829 | CF251(N) |
| 1983-80 | 151" 2.5L (Cal.) | R-2 | E2SE | 17080781, 17081796, 797, 17082387, 389, 17083384, 385 | 10867A | CF266(N) |
| | 151" 2.5L (Exc. Cal.) | R-2 | 2SE | 17080685, 17081790, 791, 799, 17082380, 382, 384, 17083380, 381 | 10867A | CF266(N) |
| 1972-65 | 134", 134.2" 2.2L | C-1 | YF | 4002, 4366, 4941, 6115, 6291 | 10281A | CF279B(B) |
| 1970 | Mail Truck 153" 2.5L | C-1 | YF | 4855 | 10313B | CF279B(B) |
| 1970-66 | 134" 2.2L Indi Power | C-1 | YF | 4210 | 10096 | CF279B(B) |
| 1967-50 | 4-73, 4-75, F4-134, FC-150, -134, -134.2 | C-1 | YF | 738, 768, 820, 832, 938, 951, 2392, 2756, 3200, 4210 | 10096 | CF279B(B) |
| 1952-40 | | C-1 | WO | 450, 507, 539, 596, 636, 698 | 10097 | ---- |
| --- | Motor Gen. (Military) | C-1 | WO | 567, 572, 897, 933, 936, 984 | 10097 | ---- |
| 6 CYLINDER | | | | | | |
| 1990-81 | 258" 4.2L | C-2 | BBD | 8302, 8303, 8306, 8307, 8308, 8309, 8310, 8311, 8340, 8341, 8349, 8351, 8354, 8355, 8357, 8360, 8362, 8364, 8366, 8367, 8372, 8383, 8384, 8389, 8394 | 10706B | CF280B(B) |
| 1986-84 | 173" 2.8L (Exc. Cal.) | R-2 | 2SE | 17084580, 581, 582, 583, 621, 623, 17084620, 622, 17085380, 381, 382, 383 | 10773C | CF300(N) |
| | 173" 2.8L (Cal.) | R-2 | E2SE | 17084584, 17085006, 388, 17086081 | 10694A | CF300(N) |
| 1981-77 | 258" 4.2L | C-2 | BBD | 8107, 8185, 8186, 8187, 8188, 8195, 8229, 8253, 8254, 8255, 8256, 8257, 8277, 8312, 8335, 8336, 8337 | 10706B | CF280B(B) |
| 1979-77 | 232" 3.8L, 258" 4.2L (Incl. Mailtruck & Export) | C-1 | YF | 7110, 7111, 7151, 7153, 7154, 7158, 7201, 7228, 7230, 7231, 7232, 7234, 7274 | 10587 | CF251B(B) or CF251(N) |
| (B) Brass (N) Nitrophyl (PL) Plastic (P) Primary (S) Secondary | | | | | | |

APPLICATION GUIDE

| Year | Engine/Model | Mfg Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|-------------------------------|----------|----------|--|-------------|------------------------|
| OLDSMOBILE | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1976-75 | 140" 2.3L | R-1 | MV | 17054963, 972 | 10365A | CF257B(B) or CF257(N) |
| 6 CYLINDER | | | | | | |
| 1987-85 | 231" 3.8L (Can.) A/T | R-2 | M2ME | 17085170, 17086170, 17087181 | 10840 | CF406B(B) or CF406(N) |
| 1987-80 | 181" 3.0L, 231" 3.8L | R-2 | E2ME | 17080491, 493 495 496 498, 17081190, 191, 192 193, 194, 197, 198, 199, 496, 17082182, 183, 184, 186, 192, 194, 196, 497, 17083190, 192, 193, 490, 492 494, 17084191, 193, 17085190, 17086190 | 10732C° | CF274B(B) or CF274(N) |
| 1986-84 | 173" 2.8L A/T | R-2 | E2SE | 17084534, 535 537, 538 540 | 10819 | CF266(N) |
| 1986-82 | 173" 2.8L (Incl Can., Export) | R-2 | 2SE | 17058568 569, 17082440, 441, 442, 443, 17083440, 441, 442, 443, 444, 445 17084480 481, 482, 483 484, 485, 17085484, 485, 17086484, 485 | 10798 | CF266(N) |
| 1985-83 | 181" 3.0L A/T | R-2 | E2ME | 17083194 17084195, 17085192 194 | 10808A° | CF274B(B) or CF274(N) |
| 1984-81 | 231" 3.8L (Can.) | R-2 | M2ME | 17081492, 493, 17082492, 17083172 | 10650A | CF406B(B) or CF406(N) |
| | 252" 4.1L A/T | R-4 | E4ME | 17059323, 324, 17081248, 289, 17082246 247, 266 267, 295, 298, 17084246 | 10720B° | CF274B(B) or CF274(N) |
| 1983-81 | 173" 2.8L | R-2 | E2SE | 17081608, 610, 612, 614, 650, 651 652 653, 740, 742, 17082316 317, 320 321, 640 641, 642, 17083450, 451, 452, 453 454, 455, 456, 650 | 10774A | CF266(N) |
| 1981-80 | 173" 2.8L (Exc Can.) | R-2 | 2SE | 17059650 651, 652, 653 660, 662, 666, 667, 750, 751, 752, 753 | 10866 | CF266(N) |
| 1980 | 173" 2.8L (Cal) A/T | R-2 | E2SE | 17080740, 742 | 10774A | CF266(N) |
| | | | | 17059760 762 763 | 10694A | CF266(N) |
| 1980-79 | 231" 3.8L (Exc Can.) | R-2 | M2ME | 17059180 190 191, 196 491, 492 498 17080185, 187, 190, 191, 192, 195 197 | 10650A | CF406B(B) or CF406(N) |
| 1979 | 231" 3.8L (Cal) | R-2 | E2ME | 17059496 | 10732C° | CF274B(B) or CF274(N) |
| 1978-77 | 231" 3.8L (Incl. Can.) | R-2 | 2GE | 17058141 145, 147, 148 149, 182, 183, 185, 187, 189, 444, 446 447, 448 | 10613A | CF256B(B) or CF256(N) |
| 1977-75 | 231" 3.8L | R-2 | 2GC, 2GE | 7045147, 149, 441, 447, 449, 17056145, 149, 447, 449, 17057143 144, 145 146, 148 180, 182, 445, 446, 447, 448 | 10476 | CF256B(B) or CF256(N) |
| 1976-73 | 250" 4.1L | R-1 | MV | 7043014 017 7044014, 017, 314 7045012, 013, 314, 17054303, 304, 308, 17055553, 17056012, 013, 014 015, 018, 314 | 10364B | CF257B(B) or CF257(N) |
| 1976-68 | 250" 4.1L (Repl. Carbs) | H-1 | 1940 | R-4807AAA, -1AAA, R-6514AAA, -1AAA, R-7048AAA, R-7558AAA, R-7647AAA, R-7648AAA, R-7649AAA, R-7762AAA R-7942A -1AAA | 10590A | CF469AB(B) or CF469(N) |
| 1971 | 250" 4.1L | R-1 | MV | 7041014, 017 | 10364B | CF257B(B) or CF257(N) |
| 1970-68 | 250" 4.1L | R-1 | MV | 7028014, 057, 7029014, 057, 7040014 015, 017 | 10291A | CF257B(B) or CF257(N) |
| 1967-66 | 250" 4.1L | C-1 | YF | 4072, 4080, 4339, 4367, 4368 | 10281A | CF279B(B) |
| | 250" 4.1L | R-1 | B, BV | 7026027, 028 | 10194B | CF289B(B) |
| 1965-64 | 225" 3.7L | R-1 | BC | 7024148, 149, 7025148, 149 | 10187A | CF289B(B) |
| 8 CYLINDER | | | | | | |
| 1990-84 | 305", 307" 5.0L A/T | R-4 | E4MC | 17084252, 254, 256, 258, 554, 17085282, 554, 17086008, 009, 17088115, 17111472, 994 | 10820A° | CF274B(B) or CF274(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary

° Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|--|-----------|-------|--|------------------|-----------|
| PLYMOUTH | | | | | | |
| 8 CYLINDER (Cont'd) | | | | | | |
| 1967-66 | 273" 4.5L, 383" 6.3L | C-4 | AFB | 4120, 4130, 4131, 4295, 4298, 4299 | 10254B | CF294B(B) |
| | 383" 6.3L | C-4 | AFB | 4133, 4310 | 10206B or 10047A | CF294B(B) |
| 1967-65 | 273" 4.5L, 383" 6.3L, 426" 7.0L, 440" 7.2L | C-4 | AFB | 3853, 3854, 4119, 4121, 4122, 4132, 4136, 4137, 4294, 4304, 4305, 4309, 4311, 4312, 4326, 4327, 4328, 4329 | 10251A | CF294B(B) |
| | 361" 5.9L, 383" 6.3L | S-2 | WWC | 3-254, 3-255, 3-262, 3-263, 3-276 | 10208A | N/R |
| 1967-63 | 361" 5.9L, 383" 6.3L | C-2 | BBD | 3475, 3684, 3849, 3850, 4125, 4126, 4127, 4128, 4296, 4297, 4306, 4307 | 10343B | CF290B(B) |
| 1967-60 | 273" 4.5L, 318" 5.2L | S-2 | WW | 3-222, 3-223, 3-239, 3-240, 3-248, 3-249, 3-250, 3-251, 3-258, 3-259, 3-260, 3-261, 3-272, 3-273, 3-274, 3-275, 15-41, 15-41A, 15-42, 15-43, 15-44, 15-45 | 10110B | N/R |
| 1965-64 | 426" 7.0L (Hi-Perf. 2 Carb) | C-4 | AFB | 3705, 3861 | 10251A | CF294B(B) |
| 1965-58 | 313" 5.1L, 318" 5.2L, 360" 5.9L, 383" 6.3L, 413" 6.8L, 426" 7.0L | C-4 | AFB | 2641, 2642, 2744, 2773, 2801, 2812, 2813, 2855, 2856, 2925, 2926, 2969, 2970, 2991, 3101, 3103, 3104, 3105, 3106, 3131, 3133, 3140, 3247, 3249, 3250, 3252, 3253, 3257, 3309, 3437, 3438, 3520, 3611, 3612, 3855, 3856, 3858, 3859, 3860, 4200 | 10254B | CF294B(B) |
| 1957-55 | 277" 4.5L, 301" 4.9L | C-4 | WCFB | 2253, 2302, 2530, 2725 | 10039B | --- |

PLYMOUTH TRUCK

4 CYLINDER

| | | | | | | |
|------|-----------------------|-----|-------|--|--------|-----------------------|
| 1983 | 135" 2.2L (Exc. Cal.) | H-2 | 5220C | R-40020-1A, R-40022-1A, R-40039-1A, R-40041-1A, R-40109A, -1A, R-40110A, -1A | 10633B | CF472B(B) or CF472(N) |
|------|-----------------------|-----|-------|--|--------|-----------------------|

PONTIAC

4 CYLINDER

| | | | | | | |
|---------|-----------------------------|-----|-------|--|--------|-----------------------|
| 1987-81 | 98" 1.6L | H-2 | 6510C | R-9404A, R-9405A, R-9406A, R-9407A, R-9663A, R-9664A, R-9665A, R-9666A, R-60000A, R-60001A, R-60002A, R-60003A, R-60048A, R-60049A, R-60050A, R-60097A, R-60103A, R-60116A, R-60117A, R-60118A, R-60119A (14068690, 691, 692, 693, 14076363, 465, 466, 467, 468) | 10699 | CF282B(B) or CF282(N) |
| 1986-82 | 98" 1.6L (Can., Export) | H-2 | 5210C | R-9671A, R-9672A, R-60008A, R-60009A, R-60047A, R-60056A, R-60057A, R-60059A, R-60098A, R-60099A, R-60104A, R-60105A, R-60112A, R-60113A (14043392, 393, 14048849, 850, 14067370, 14076317, 318, 319, 322, 323, 393, 394, 14086071, 072) | 10698A | CF282B(B) or CF282(N) |
| 1984-82 | 112" 1.8L, 121" 2.0L (Can.) | R-2 | 2SE | 17058565, 566, 567, 17082310, 311, 312, 314, 315, 401, 402, 404, 405, 17083311, 314, 401, 17084312, 314 | 10773C | CF300(N) |
| 1983 | 151" 2.5L Can. A/T | R-2 | 2SE | 17083460, 462 | 10867A | CF300(N) |
| | | | | 17083464, 466 | 10867A | CF266(N) |
| | 151" 2.5L Can. M/T | R-2 | 2SE | 17083461 | 10679B | CF300(N) |
| | | | | 17083465 | 10679B | CF266(N) |
| 1982 | 112" 1.8L | R-2 | E2SE | 17059327, 17081600, 601, 606, 607, 700, 701, 17082300, 301, 303, 304 | 10694A | CF300(N) |
| 1982-80 | 151" 2.5L (Exc. Cal.) | R-2 | 2SE | 17058564, 17082461, 469 | 10679B | CF300(N) |
| | | | | 17059615, 617, 619, 621, 623, 625, 17082465 | 10679B | CF266(N) |

(B) Brass

(N) Nitrophyll

(PL) Plastic

(P) Primary

(S) Secondary

APPLICATION GUIDE

| Year | Engine/Model | Mfg. Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|-----------------------------------|-----------|-------|---|------------------|-----------------------|
| PONTIAC | | | | | | |
| 4 CYLINDER (Cont'd) | | | | | | |
| 1982-79 | 151" 2.5L (Exc. Can.) | R-2 | 2SE | 17058562, 563, 17059614, 616, 618, 620, 622, 624, 673, 674, 675, 676, 677, 17080674, 675, 676, 677, 17082464, 466 | 10867A | CF266(N) |
| | | | | 17082460, 462 | 10867A | CF300(N) |
| 1981-79 | 151" 2.5L | R-2 | E2SE | 17059714, 715, 716, 717, 718, 720, 721, 722, 723, 724, 774, 775, 776, 777, 17081670, 671, 672, 673, 764, 766 | 10867A | CF266(N) |
| 1978-77 | 151" 2.5L | H-2 | 5210C | R-7520A, R-7521A R-7522A, R-7786A, -1A, -1AAS, R-7787A, R-7788A, -1A, -1AAS, R-7789A, R-8078A, R-8080A, R-8436A, R-8438A | 10585 | CF472B(B) or CF472(N) |
| | | | | R-8077A, R-8079A | 10585 | CF282B(B) or CF282(N) |
| 1978-76 | 85" 1.4L, 97 6" 1.6L (Incl. Can.) | R-1 | 1ME | 17055051, 052, 064, 065, 17056030, 031, 032, 034 035, 036, 17057030, 031 032 034 035, 17058032, 034, 035 | 10554A | CF257B(B) or CF257(N) |
| 1977-75 | 140" 2.3L (Incl. Repl Carbs) | H-2 | 5210C | R-6878A, -1A, -2A, R-6879A, 1A 2A R-6984A, -1A, R-6985A -1A, R-7219A, -1A, -2A, R-7220A -1A, -2A, R-7221A -1A, R-7222A, -1A R-7378A, R-7379A, R-7380A, R-7381A, R-7382A R-7383A, R-7384A, R-7385A, R-7530A, R-7531A, R-7532A, R-7533A, R-7534A, R-7536A, R-7537A, R-7538A, R-7840A, R-8263AAA, -1AAA, 2AAA, R-8264AAA, 1AAA, -2AAA, R-8295AAA | 10488A | CF472B(B) or CF472(N) |
| 1976-75 | 140" 2.3L | R-1 | 1ME | 7045024 025, 028, 029, 17054963, 972, 17056022, 023, 026, 027 | 10365A | CF257B(B) or CF257(N) |
| 1963-62 | 195" 3.2L | R-1 | B, BC | 7020061, 7023067 068 | 10187A | CF289B(B) |
| 1962-61 | | R 1 | B, BC | 7019061 062, 7020062 | 10194B | CF289B(B) |
| 1961 | 194.5" 3.2L | C-4 | AFB | 3266 | 10206B or 10047A | CF294B(B) |
| 6 CYLINDER | | | | | | |
| 1987-85 | 231" 3.8L Can A/T | R 2 | M2ME | 17085170, 17086170, 17087181 | 10840 | CF406B(B) or CF406(N) |
| 1987-80 | 231" 3.8L | R-2 | E2ME | 17080491 493, 495, 496, 498, 17081190, 191, 192, 194, 196, 197, 198, 199, 496, 17082182, 192, 497, 17083192, 492, 17084191, 17085190, 17086190 | 10732C° | CF274B(B) or CF274(N) |
| 1986-84 | 173" 2.8L | R-2 | E2SE | 17084534, 535 537, 538, 540 | 10819 | CF266(N) |
| | | | | 17084632, 633, 635, 636 | 10819 | CF300(N) |
| 1986-82 | 173" 2.8L (Can. & Export) | R-2 | 2SE | 17058568, 569, 17082440, 441, 442, 443 17083440, 441, 442, 443, 444, 445, 17084480, 481, 482, 483, 484, 485, 17085484, 485, 17086484, 485 | 10798 | CF266(N) |
| 1984-82 | 173" 2.8L (Can.) | R 2 | 2SE | 17058570, 571, 17082620, 621, 622, 623, 17083620, 621, 622, 623, 17084620, 621, 622, 623 | 10773C | CF300(N) |
| 1984-81 | 231" 3.8L (Can.) | R-2 | M2ME | 17081492, 493, 17082492, 17083172 | 10650A | CF406B(B) or CF406(N) |
| 1983 | 229" 3.8L A/T | R-2 | E2ME | 17082130, 132 | 10777A° | CF274B(B) or CF274(N) |
| 1983-81 | 173" 2.8L | R-2 | E2SE | 17081610, 614, 650, 651, 652, 653, 740 742, 17082316, 317, 320, 321, 640, 641, 642, 17083450, 451, 452, 453, 454, 455, 456, 650 | 10774A | CF266(N) |
| | | | | 17082390, 391, 398, 490, 491, 17083630, 631, 632, 633 634, 635, 636 | 10774A | CF300(N) |
| 1982 | 252" 4.1L | R-4 | E4ME | 17059325, 17082248, 268, 299 | 10720B° | CF274B(B) or CF274(N) |

(B) Brass

(N) Nitrophy

(PL) Plastic

(P) Primary

(S) Secondary

Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

APPLICATION GUIDE

| Year | Engine/Model | Mfg Code | Model | Carburetor Number | Tune-Up Kit | Float |
|----------------------------|------------------------------------|----------|----------|---|-------------|------------------------|
| PONTIAC | | | | | | |
| 6 CYLINDER (Cont'd) | | | | | | |
| 1981-80 | 173" 2.8L (Exc. Cal.) | R-2 | 2SE | 17059650, 651, 652, 653, 660 662, 666, 667, 750, 751, 752 753 | 10866 | CF266(N) |
| 1980 | 173" 2.8L (Cal.) A/T | R-2 | E2SE | 17080740, 742 | 10774A | CF266(N) |
| | 173" 2.8L (Cal.) | R-2 | E2SE | 17059760, 762 763 | 10694A | CF266(N) |
| | 229" 3.8L | R-2 | M2ME | 17080130, 131, 132, 133, 146, 147, 148, 149, 170, 171 | 10864 | CF406B(B) or CF406(N) |
| 1980-79 | 231" 3.8L | R-2 | M2ME | 17059180, 190, 191, 196, 491, 492, 498 17080185, 187, 190, 191, 192, 195, 197 | 10650A | CF406B(B) or CF406(N) |
| 1979 | 231" 3.8L (Cal.) | R-2 | E2ME | 17059496 | 10732C° | CF274B(B) or CF274(N) |
| 1979-78 | 200" 3.3L (Can.) | R-2 | M2ME | 17058130, 131, 132 184, 186, 17059170, 171 | 10864 | CF406B(B) or CF406(N) |
| 1978 | 250" 4.1L (Can.) | R-1 | 1ME | 17058014, 026 | 10863 | CF257B(B) or CF257(N) |
| 1978-77 | 231" 3.8L | R-2 | 2GE | 17058141, 145, 147, 148, 149, 182, 183, 185, 187, 189, 444, 446 447, 448 | 10613A | CF256B(B) or CF256(N) |
| 1977-76 | 231" 3.8L | R-2 | 2GC, 2GE | 17056145, 149, 447, 449, 17057143, 144, 145, 146, 148 180, 182 446 447, 448 | 10476 | CF256B(B) or CF256(N) |
| 1976-71 | 250" 4.1L | R-1 | MV | 7041014, 017 7042014, 017, 984 987, 7043014 017, 7044014, 017, 314, 7045012, 013, 314, 17054303 304, 308 17055553 17056012, 013, 014 015, 018, 314 | 10364B | CF257B(B) or CF257(N) |
| 1976-68 | 230" 3.8L, 250" 4.1L (Repl. Carbs) | H-1 | 1940 | R-4807AAA R-6514AAA, R-6864AAA, R-7048AAA, R-7558AAA, R-7647AAA R-7648AAA R-7649AAA, R-7762AAA, R-7942A, -1AAA | 10590A | CF469AB(B) or CF469(N) |
| 1970-68 | 230" 3.8L, 250" 4.1L | R-1 | MV | 7028014, 015, 017 065, 067, 075 7029165, 166, 167, 168 7040014, 015, 017 | 10291A | CF257B(B) or CF257(N) |
| 1969-68 | 250" 4.1L | R-4 | 4MV | 7028260, 261, 17054906 | 10298A | CF250B(B) or CF250(N) |
| | | | | 7029260 261 | 10298A | CF271B(B) or CF271(N) |
| 1968-63 | 215" 3.5L, 230" 3.8L 250" 4.1L | R-1 | B, BV | 7023000, 003, 004 005, 7024164 166 7025000, 003, 004, 005, 167 168, 7026027 028, 167, 168, 169, 7027167 168, 7028168, 7036167, 168 7037167, 168 | 10194B | CF289B(B) |
| 1967-66 | 230" 3.8L | R-4 | 4MV | 7027268 269, 7037268, 269 | 10855 | CF250B(B) or CF250(N) |
| | | | | 7041314, 315 | 10855 | CF250B(B) or CF250(N) |
| 1967-64 | 215" 3.5L, 230" 3.8L | C-1 | YF | 3946, 4339 | 10281A | CF279B(B) |
| 1962 | Can. | R-1 | B, BC | 7020080, 081 | 10187A | CF289B(B) |
| 1960-57 | Can. | R-1 | BC | 7010516, 517, 7011870, 871, 7013080, 081 | 10187A | CF289B(B) |
| 1956-55 | 261" 4.3L Can. | R-1 | BC | 7006201, 7007950, 7009258 259, 7010680 | 10158 | CF289B(B) |
| 8 CYLINDER | | | | | | |
| 1990-86 | 307" 5.0L A/T | R-4 | E4MC | 17086008 009, 17088115, 17111472, 994 | 10820A° | CF274B(B) or CF274(N) |
| 1988-80 | 305" 5.0L | R-4 | E4ME | 17059320, 322, 17080504, 517, 17081203, 207, 17082202, 203, 204, 207, 17083204, 205, 207, 17084201, 205, 208, 209, 17085203, 204, 207, 17086004, 005, 040, 17087130, 133, 306 | 10868° | CF274B(B) or CF274(N) |
| 1987-86 | 305" 5.0L (Can.) A/T | R-4 | M4MED | 17086580, 582, 588, 590, 17087117, 118, 119, 120, 123, 124 | 10792B° | CF406B(B) or CF406(N) |
| | 307" 5.0L (Can.) A/T | R-4 | M4MC | 17085592, 594, 17087207, 211 | 10779 | CF406B(B) or CF406(N) |

(B) Brass

(N) Nitrophyl

(PL) Plastic

(P) Primary

(S) Secondary


° Use CST28 tool kit for feedback applications.

Use CST27 repair kit for stripped mixture control adjusting screw stud.

FLOAT BUYER'S GUIDE

CF264


Carter Model YFA
Nitrophyl Replacement For
Carter 21-264, 21-8501
Ford D8PZ-9550-A, E4PZ-9550-B
7.1 Grams
775"



Ford/Mercury 1986-83, 1979-78
Ford Truck 1986-78

CF266


Rochester Model 2SE/E2SE
Nitrophyl Replacement For
Rochester 17056073, 17067426,
17067591, 17068130, 17078155,
17079943
AMC 8132729, 8133482, 8135507
8.0 Grams



AMC 1983-80
Buick 1986-80
Chevrolet 1986-79
Chevrolet/GMC Truck 1985-79
Jeep 1983-80
Oldsmobile 1986-79
Pontiac 1986-79

CF267B


Holley Model 1946
Brass Replacement For
Holley 16R-577A
Ford D9PZ-9550-A
Motorcraft CM-3125



Ford/Mercury 1981-78
For nitrophyl, use CF267

CF265


Ford Model VV
Nitrophyl Replacement For
Ford D7ZZ-9550-A, D9ZZ-9550-A, D,
EOVZ-9550-A, B
Motorcraft CM-2455 CM-2455A CM-3098
Carter 21-318
10.0 Grams



Ford/Mercury 1991-77
Ford Truck 1983-81
Lincoln 1982-77

CF267


Holley Model 1946
Nitrophyl Replacement For
Holley 16R-577A
Ford D9PZ-9550 A
Motorcraft CM-3125
14.5 Grams



Ford/Mercury 1981-78
For brass, use CF267B

CF268

Holley Model 2280
Nitrophyl Replacement For
Holley 16R-510A
Chrysler 4186230
14.5 Grams




Chevrolet 1973-64
Chevrolet/GMC Truck ... 1973, 1970-69
Chrysler 1987-85, 1980-75
Dodge 1987-85, 1979-62
Dodge Truck 1987-77, 1974-66
Plymouth 1987-85, 1979-62

FLOAT BUYER'S GUIDE

CF293B◆


Carter Model AVS
Brass Replacement For
Carter 21-245



Chrysler 1971-68
Dodge 1971-68
Plymouth 1971-68

CF296B


Holley Model 4360
Brass Replacement For
Holley 16R-506A
Carter 21-305



Buick 1978-77
Chevrolet 1978-64
Chevrolet/GMC Truck 1976-68
Chrysler 1977-75
Dodge Truck..... 1976-73
Oldsmobile 1978-75
Pontiac 1976-75, 1972-67

CF299B


Ford 4Bbl Model 4100 (Secondary)
Brass Replacement For
Ford C1AZ-9550-B, C5AF-9550-D,
C6AZ-9550-C
Motorcraft CM-672



Edsel 1960-58
Ford/Mercury 1969-58

CF294B◆


Carter Model AEB, AFB, AVS
Brass Replacement For
Carter 21-179, 21-188



Buick 1967-57
Cadillac 1966-57
Chevrolet 1966-58
Chrysler 1967-57
Desoto 1961-58
Dodge 1971-58
Plymouth 1971-58
Pontiac 1967-57
Univ Perf Veh —

CF297B


Holley Model 4160
Brass Replacement For
Holley 16R-479A, 216-64
Ford D7PZ-9550-A (Secondary)



Ford/Mercury 1978-67
Lincoln 1978, 1976-72

CF300


Rochester Model 2SE/E2SE
Nitrophyl Replacement For
Rochester 17068043, 17068551,
17071052, 17078181, 17079513,
17079968, 17110227, 17110257
7.0 Grams



Buick 1984-80
Cadillac 1984-82
Chevrolet 1986-79
Chevrolet/GMC Truck 1985-82
Jeep 1986-84
Oldsmobile 1984-79
Pontiac 1986-79

CF295B


Rochester Model 2GV
Brass Replacement For
Rochester 7037519



Chevrolet 1972-58
Chevrolet/GMC Truck . . . 1972-58
Jeep 1971, 1968-66
Pontiac 1972-71

CF298B


Ford 4Bbl Model 4100 (Primary) 2Bbl
Model 2100
Brass Replacement For
Ford C1AZ-9550-A, C5AF-9550-B
Motorcraft CM-615



Edsel 1960-58
Ford/Mercury 1974-58
Ford Truck 1975-63

CF302

Holley Model 6280
Nitrophyl Replacement For
Holley 16R-516A
Chrysler 4342857
14.0 Grams



Chrysler 1989-85
Dodge 1989-85
Dodge Truck 1987-85
Plymouth 1989-85

◆ See Inboard Marine Section for additional coverage.

CARBURETOR SERVICE TOOLS

CF107S Deluxe Carburetor Float Scale

Heavy, soggy floats waste fuel! Know immediately if a float has absorbed gasoline.

The CF107S Float Scale features *vastly* expanded readings for extreme accuracy. The scale body reads from 7 to 13 grams, and by just mounting it through a second hole, an additional range (13 to 19 grams) is available.

Readings to 1/10 gram are easily made on the stainless steel body. The furnished stand allows the scale to come to rest much easier than by trying to hold by hand. Specifications for float weights are included.



CST 10C

Two Piece Multi Purpose Tool

The CST 10C is essential to make adjustments on Rochester Varajet, Dualjet and Quadrajete Carburetors, as the design of the screw head and clearances make it impossible to use standard hand tools.

These two double ended tools are used to adjust:

- Lean Mixture Screw (all models)
- Idle Air Bleed (Varajet only)
- Throttle Position Sensor

These tools also can be used to remove the Main Metering Jets and the Rich Stop Screw on Dualjet and Quadrajete Carburetors.

Alloy steel, heat treated for toughness and years of dependable service.



2mm
on flats



2.5mm
hex

ACTUAL SIZES



7mm
on flats



10mm
on flats



CARBURETOR SERVICE TOOLS

CST 12


The "NOID Lite"

TBI Injector Harness Tester

- Saves Time and effort

This handy tool quickly checks the TBI harness for power, which normally is a three-hand, two person operation. The "NOID Lite" quickly determines the problem area — electrical or fuel system. Just disconnect harness from solenoid, plug in tester and turn on ignition. From the drivers seat you'll be able to see if tester light is flashing — indicating system is OK. Steady or no light indicates an electrical malfunction.

Tester features tough molded body, brass pins for good conductivity and 6.3V bulb which will not harm the ECM with excessive current draw



CST 13

The "EFI Lite"

This handy new tester is designed for use on vehicles having Bosch direct fuel injection, such as GM, Ford plus many imports such as: Toyota, Datsun, VW and Mercedes

The "EFI Lite" reduces expensive trouble shooting and makes quick work of a former 2 person job, by identifying fuel or electrical system problems.

Easy to use — disconnect harness from solenoid, plug tester into harness and turn ignition on. Visible from passenger compartment, a flashing tester light indicates normal pulsing voltage. Steady or no light indicates electrical problems

Body is tough molded plastic with phosphor bronze contact pins



CST 14

Idle Adjusting Tool

The CST 14 Idle Adjusting Tool is for all Rochester Carburetors 1979 and newer. Features 12" flexible steel cable with calibrated knob for extra fine adjustment of mixture and idle when socket is not visible

Extra thin wall socket, fits adjusting screw exactly and won't fall off during adjustment



"Double D"


Socket
Shown
Actual
Size

CARBURETOR SERVICE TOOLS

CST 15

Universal Carburetor Stand

Universal applications, adjustable to fit all 1, 2 and 4 barrel, Rochester, Ford, Holley, Carter, Chrysler and other carburetors. Heavy nickel plated steel legs, allow technician to have both hands free to work on carburetor. Stand prevents damage and adjustment changes caused by working on a flat bench.



CST 16

Sliding Scale

- Check Float level with disassembled carburetor

Space limitation on Varajets require the use of this new style sliding scale where old types will not work.

Precise metric and inch stainless steel scales with friction slide ensures easy readings and long life.

New universal design permits work on Monojets, Quadrajets, Ford, Chrysler, Holley, Carter and other popular carburetors.



CST 17

3 Piece Wrench Set

The Idle Adjuster Spanner Set is used on 1981 and newer carburetors with idle speed control (ISC) motors. Wrenches are specially designed to be self-centering in both directions, to make it easy finding and maintaining a grip on the two required size screw heads.

The Idle Adjuster Spanner is used on carburetors where the ISC motor is buried and enclosed, making it impossible to use any type of pliers. This tool has an 8" long reach, with self-centering feature and is constructed of long lasting heat treated spring steel.



CARBURETOR SERVICE TOOLS

CST 18

Solenoid/Idle Air Gauge Set for Quadrajets and Dualjets

The **only** accurate way to set mixture control solenoid position and idle bleed on Quadrajets and Dualjet Carburetors 1982 and newer.

Consists of two finely crafted all metal precision gauges — a Mixture Control Solenoid Gauge and an Idle Air Bleed Gauge.

The Idle Air Bleed Gauge features a spring sleeve to ensure snug fit in all carburetors regardless of vent hole size variance. The mixture control solenoid gauge is precision made with knurled base for easy handling.



CST 19

Carburetor Float Level Gauge

"Measure float level without carburetor disassembly and while engine is running".

The CST 19 Float Level is made of gasoline proof, black nylon with easy-to-read calibration. One side has 0 to 28mm, the other side has 0 to 36 in 32nds of an inch. Lobed end makes gauge easy to grip.

Designed for use on Dualjets and Quadrajets as they have openings directly above the float to permit this gauge to rest on the float for accurate readings.



CST 20

Choke Valve Angle Gauge

This tool is recommended by Rochester Products, GM Service Research and Car Divisions for servicing all Rochester Carburetors 1978 and newer. This unique tool replaces the old drill rod method and gives the accurate results required by the new systems.

This quality tool greatly simplifies setting the Carburetor Choke Valve. Magnetic base holds gauge in place while adjustments are being made, and scale can be read on either side of gauge.

This durable tool is all metal and has adjustable friction at pivot points, with large calibration scales for easy reading.

The CST 20 can also be used on diesel throttle linkage using the adaptor included and the complete directions provided.




CARBURETOR SERVICE TOOLS

CST 22

Retainer Boss Reamer

Returns body material (moved during factory staking) to original position on Varajet accel. and throttle pos. sensor bores, so new retainer falls in easily.



CST 25

Float Positioning Tool Kit

It's no longer necessary to hold float down with fingers. The calibrated 6 ounce weight holds float down and steady while measurements are made — the same for everyone, everytime.

Two interchangeable bases are furnished along with a common weight assembly. The weight assembly features a pin that contacts the float lever cross bar.

Also included is a spacer to use on Varajets to insure a firm lock between base and carb. bowl.


Detailed, easy-to-read instructions are included with the CST 25 Kit.

The CST 25 Float Positioning Tool Kit comes packaged in a custom plastic case to keep all items together.



CST 26

Poly Bagged Vacuum Caps




CARBURETOR SERVICE TOOLS

CST 27

Lean Mixture Adjustment Screw

An economical method of salvaging fuel bowl castings with stripped lean mixture solenoid adjusting screw threads!

Instruction Sheet Included




CST 28

Mixture Control Adjustment Kit

Facilitates "On the bench" adjustments of lean mixture screw, rich stop screw, and idle air bleed valve!

Instruction Sheet Included



CSTA 10 C 3 Carburetor Service Tool Assortment

This complete assortment contains all the essential tools to properly service the C 3 system. All tools are professional quality and packed in a sturdy carrying case. Complete directions are enclosed.

Contents:

Choke valve angle gauge

Idle adjustment spanner kit

Noid lite

Float level gauges & bridge

Lean mixture, idle air bleed adjusting tool

Accelerator pump seal tool

Retainer ring remover tool

Idle adjusting tool

Sliding scale

EFI lite

Throttle position sensor, rich stop screw tool

Throttle position sensor seal tool

